

HongShang

E-BIKE
E-SCOOTER
DRIFT BIKE



Ver. 2023-24

HS
HongShang
Quality | Service | Pace

HongShang China Co. Limited

Introduction : HongShang China Co. Limited, started its export in 2013, earlier it was supplying the goods to exporters in Hong Kong and China.

Offices : HongShang opened its corporate office in Hong Kong and sales offices in Ningbo and Tianjin in China.

Warehouses : HongShang owns warehouses in different cities of China to club best quality goods.

Bank : HongShang banks the transactions with HSBC Bank in Hong Kong for providing a smooth and hassle free transactions to our customers.

Quality and Innovation : HongShang pays constant attention to improvise the quality of its products with updated

Introduction : HongShang China Co. Limited commencé son exportation en 2013; elle fournissait auparavant les produits aux exportateurs de Hong Kong et de la Chine.

Bureau : HongShang ouvert son siège social à Hong Kong et ses bureau de vente à Ningbo et Tianjin en Chine.

Depots : HongShang possède des depots situés dans différentes villes de Chine et propose des produits de qualité supérieure.

Banque : HongShang banques les transactions avec la banque HSBC à Hong Kong pour fournir à nos clients des transactions en douceur et sans tracas.

“HongShang” is a tried, tested and trusted brand by more than 1000 importers worldwide

HongShang est une marque éprouvée, testée et reconnue par plus de 1000 importateurs dans le monde.






Certificate of Incorporation



Brand Certificate



Registration Certificate



RIDE WITH HONGSHANG

E-BIKES



EBK-601



SPECIFICATIONS

Frame	: 26", steel, TIG welding
Fork	: 26"x1.95 Suspension fork, steel black crown, steel outer-legs, threadless stem
Tyre	: 26"x2.10, black, with AV butyle tube, Wanda
Brake	: F/R alloy Hydraulic disc brakes, with electric brake levers
Motor	: 36V/500W
Battery	: 36V/10.4AH-
Display	: LED with throttle
Available size	: 26", 27.5", 29"

EBK-602



SPECIFICATIONS

Frame	: Aluminum Alloy
Fork	: Alloy crown, alloy outer-legs
Crank Set	: Alloy crank and steel chainwheel
Gear set	: Shimano Altus 24-speed
Motor	: Brushless, 36V 500 W
Battery	: 36v 10.4AH -
Display	: LED with throttle
Available size	: 26", 27.5", 29"



EBK-603**SPECIFICATIONS**

Frame	: Aluminum Alloy
Fork	: Mechanical locking and shock absorption of aluminum shoulder
Derailleur	: ShimanoTY300
Brake	: Mechanical disc brake
Tyre	: Kenda
Motor	: 36V500W
Battery	: 36V8AH
Display	: LED with throttle
Available size	: 26", 27.5", 29"

EBK-604**SPECIFICATIONS**

Frame	: 26"x4.0", Alloy 6061 TIG welded
Fork	: Steel, rigid, Hiten, TIG welded
Handlebar	: Steel EMB handlebar, alloy stem, sand black
Brake Set	: F/R alloy hydraulic disc brakes, with electric brake lever LOGAN
Crank Set	: 3/32"x40Tx170MM steel crank and steel chainwheel
Gear Set	: Shimano Tourney 7s, SL-TX30-7R/RD-TY21/MF-TZ21CP
Battery	: 48V/10.4AH-
Tire	: 26"x4.0, black, with AV butyle tube
Motor	: 48V/500W-
Display	: LED with throttle
Available size	: 26", 27.5", 29"





EBK-605



SPECIFICATIONS

Frame	: 27.5"x2.20, alloy 6061, TIG welded,for BF motor, the height of the S.T is 450mm.
Fork	: 27.5"x2.20, suspension alloy crown and alloy outlegs,SF15-XCM-DS-HLO, Suntour or RST
Handlebar	: Alloy handlebar, 31.8mmTP22.2x680mm, alloy threadless stem, sand black
Brake Set	: F/R: hydraulic disc brakes, HD-M275F,TEKTRO
Crank Set	: BB integrated in MID-MOTOR, 40T chain ring x170MM cranks
Gear Set	: Shimano altus rear 9 speeds,SLM2000/RDM370/ CSHG2009134
F/R Hub	: Alloy hub for disc brake with QR,KT
Tire	: 27.5"x2.20", black, A/V,KENDA
Motor	: 48V/500W-
Battery	: 48V/10.4AH-
Display	: LED with throttle
Available size	: 26", 27.5", 29"

EBK-606



SPECIFICATIONS

Frame	: Aluminum alloy Frame 6061 inner painting 26"
Fork	: High carbon steel
Handlebar	: 600mm steel
Brake	: Disc brake
F/R hub	: High carbon steel hub
Chain wheel	: High carbon steel
F/R Hub	: High carbon steel hub
Tyre	: 26*1.95 inch
Motor	: 36V 350W 36 Holes
Controller	: 350W
Display	: LED with throttle
Available size	: 26", 27.5", 29"



EBK-607**SPECIFICATIONS**

Motor	:	500W Brushless
Battery	:	48V 10AH
Product Size	:	130x54x100CM
Fold Size	:	400x750x680CM
Frame Material	:	High-tensile Steel With three Suspensions at front fork and rear frame
Max Speed	:	45KM/H
Charging Time	:	5-6H
Max Riding Distance	:	60KM
Climbing Degree	:	10°
Max Loading Weight	:	110KG
Suitable For Age	:	8+
Wheel	:	14"x2.15"; Rear Motor Wheel
Brake	:	Front / Rear Disc Brake

EBK-608**SPECIFICATIONS**

Frame	:	Aluminium alloy frame inner painting
Fork	:	Shock absorbing fork 38 leg thickness full aluminium alloy
Handlebar	:	High carbon steel 31.8 620mm
Brake	:	Shimano M375
Battery	:	Local brand battery 48V 500W 10.4Ah BIS Standard
Charger	:	48V 2A
Motor	:	Xiongda brand 48V 500W 36 Holes Ip65
Controller	:	48V 500W 25KM/H
Available size	:	26" , 27.5" ,29"
Display	:	LED with throttle



EBK-609



SPECIFICATIONS

Frame	: Alloy frame with integrated battery
Fork	: 27.5 Full Alloy Fork With Post Mount,
Handlebar	: Straight Bar,with Logo22.2*31.8*640w*6°*rise12
Brake	: Hydraulic Brake
Battery	: Lg Battery 36v13ah Chinese Cell 2600ma
Chainwheel	: Solid-242r-f,alloy Crank 1/2*3/32*42t*170mm
Free Wheel	: 8 speed, Casset Freewheel
Tyre	: 26*4.0 Air Tire
Motor	: 36v250w Md Mottor
Controller	: 36v250w
Display	: LED with throttle
Available size	: 26", 27.5", 29

EBK-610



SPECIFICATIONS

Frame	: Steel frame inner painting glossy finish
Fork	: Shock absorbing fork 31.8 leg thickness steel
Handlebar	: High carbon steel 22.2 620mm
Brake	: Disc brakes Aluminum alloy 6 screws fixed
Battery	: Local brand battery 48V 10.4Ah 52 cells
Chain wheel	: High carbon steel 24T*34T*42T
Free wheel	: High carbon steel index 14-28T
Tyre	: 27.5*1.95 air kylin tire
Motor	: 48V 500W 36 Holes
Controller	: 500W 25KM/H
Display	: LED with throttle
Available size	: 26", 27.5", 29



EBK-611**SPECIFICATIONS**

Frame	: Aluminium alloy frame inner painting
Fork	: Shock absorbing fork 38 leg thickness alloy
Gear shifter	: Shimano TX50 index 21 speed
Front/Rear derailleur	: Shimano TZ500
Pedal	: Alloy with reflectors YH 44X
Saddle	: MTB saddle gel
Tire	: 29*2.1 Kenda air tire
Motor	: 36V 250W 36 Holes
Controller	: 7250W 25KM/H
Display	: LCD HK brand 80.5*52*12 LCD-M2
Battery	: Local brand battery 36V 7.8Ah
Charger	: 236V 2A(2 hours)client's country standard plug
Available size	: 26" , 27.5" ,29"

EBK-612**SPECIFICATIONS**

Frame	: Aluminum alloy Lithium battery mtb frame, 27.5 x 1.95
Fork	: Shock absorbing fork half alloy with lockable function
Speed	: 1*8 shimano gears
Handlebar	: Steel 620mm,22.2*1.2T
Brake Lever	: Hydraulic brake lever
Front/Rear Brake	: Hydraulic brake
Rim	: Aluminum alloy double wall Rim, 27.5 no wheel stickers
Chain Wheel	: High carbon steel black
Gear shifter/R derailleur	: Shimano M310-8R/Shimano Tz500
Motor	: 36 V 250 W
Electric controller	: 25KM/H 36V
Battery	: 36V 10AH Samaung battery
charger	: 36V 2A, plastic
Display	: LED with throttle
Available size	: 26" , 27.5" , 29"



E-SCOOTER



EST-701



SPECIFICATIONS

Frame	: Aluminium alloy
Motor	: 36V 350W, front motor
Battery	: 36V 7.5Ah Lithium battery
Meter	: LCD
Brakes	: Front Electric brake/ Rear disc brake
Range	: 20-30km
Max load	: 120kg
Tyre	: 8.5inch honey-comb tyre /Pneumatic one tyre
Weight	: 12kg/14kg
Color	: Black/Gray/white/customized
Bell ring	: Yes

EST-702



SPECIFICATIONS

Frame	: Aluminium alloy
Wheel Size	: 8.5inch, Front air/ Rear Solid Vacuum
Suspension	: Rear Suspension
Brake	: Mechanism brake and electric brake
Motor	: 350w Brushless Motor Max
Weight capacity	: 120kg
Charge Time	: 3-4 hours





EST-703



SPECIFICATIONS

Motor	: 48V 500W, Front motor
Battery	: 48V 10Ah/12.5Ah lithium battery
Brake	: Front/Rear disc brake
Meter	: LED display
Frame	: Aluminium Alloy
Tire	: 10inch pneumatic tyre with tube
Fork	: Front/Rear suspension
Max speed	: 30km/h
Range	: 30-50km
Weight	: 22kg/28kg
Color	: Black
Max load	: 120kg
Scooter unfold size	: 1150*560*1200mm

EST-704



SPECIFICATIONS

Motor	: 500W Brushless
Max Speed	: 35KM/H
Product Size	: 117x57x97CM
Fold Size	: 117x23x56CM
Seat Height	: 76CM
Wheelbase	: 92.5CM
Frame Material	: Iron+Alu
Battery	: 36V 8A/10A 48V 8A/10A
Range	: 25-30KM
Deck	: PP
Max Loading Weight	: 120KG
Brake(Front/Rear)	: Disc/ Disc
Charing Time	: 6-8H With Front Shocking



EST-705**SPECIFICATIONS**

Motor	:	250W Brushless
Battery	:	36V 3.6AH(Label 4.0/4.4/4.8AH)
Product Size	:	90.5x47.5x78CM
Seat Height	:	44CM
Deck Size	:	38x20CM
Frame Material	:	Iron
Deck	:	PP
Max Speed	:	22KM/H
Range	:	5-8KM
Max Loading Weight	:	60KG
Brake(Front/Rear)	:	Mechanic Brake
Charing Time	:	4-5H

EST-706**SPECIFICATIONS**

Motor	:	500W Brushless
Battery	:	36V 10A 48V 10A/12.5A
Product Size	:	115x61x100-128CM
Fold Size	:	115x26x58CM
Frame Material	:	Aluminium Alloy
Display	:	Display Screen Pro Max
Max Slope	:	15°
Max Speed	:	35KM/H
Charging Time	:	6-8H
Range	:	30-35KM
Max Loading Weight	:	120KG
Brake(Front/Rear)	:	Disc / Disc



EST-707



SPECIFICATIONS

Motor	:	500W Brushless
Battery	:	36V 10A 48V 10A/12.5A
Product Size	:	115x61x100-128CM
Fold Size	:	115x26x58CM
Frame Material	:	Aluminium Alloy
Display	:	Display Screen Pro Max
Max Slope	:	15°
Max Speed	:	35KM/H
Charging Time	:	6-8H
Range	:	30-35KM
Max Loading Weight	:	120KG
Brake(Front/Rear)	:	Disc / Disc

EST-708



SPECIFICATIONS

Motor	:	800W Brushless
Battery	:	48V 15/18AH
Product Size	:	128x60x126CM
Fold Size	:	128x25.5x50.5CM
Frame Material	:	Aluminium Alloy
Hand Grips	:	TPR
Max Slope	:	15°
Max Speed	:	45KM/H
Charging Time	:	7-9H
Light	:	Two Head Light
Max Loading Weight	:	120KG
Other Specs	:	Non-Zero Start



EST-709



SPECIFICATIONS

Motor	:	500W Brushless
Battery	:	48V 15/18AH
Product Size	:	128x60x126CM
Fold Size	:	28x25.5x50.5CM
Frame Material	:	Aluminium Alloy
Hand Grips	:	TPR
Max Slope	:	15°
Three Speed Modes	:	Max Speed: 45KMt
Charging Time	:	7-9H Light Head Lights Two Eyclights On Deck
Max Loading Weight	:	120KG
Other Specs	:	Non-Zero Start

EST-710



SPECIFICATIONS

Size	:	108x43x114CM
Charging Time	:	3-5H
Motor Power	:	350W Brushless
Battery	:	36V 4.4AH/6.6AH BAH/104AH
Three Speed	:	15 / 20/ 25KM
Range	:	10-28KM
Max Loading Weight	:	120KG
Frame Material	:	Aluminium Alloy
Handgrip Material	:	TPR
Brake	:	Hand Brake (Disc)
Other Spec	:	Front LED Light/ Rear Brake Light
Suitable For Age	:	12+



EST-711



SPECIFICATIONS

Motor	:	150W Brushless
Battery	:	24V 2.5AH
Product Size	:	80x36x90CM
Fold Size	:	90x37x32CM
Frame Material	:	Aluminium
Handgrips	:	TPR
Max Speed	:	14KM/H
Charging Time	:	2-3H
Max Riding Distance	:	3-5KM
Max Loading Weight	:	50KG
Wheel	:	6.5 Inches+5.5 Inches
Brake	:	Electronic Brake+Foot Brake

EST-712



SPECIFICATIONS

Motor	:	150W Brushless
Battery	:	24V 2.5AH
Product Size	:	79.5x37x82.5CM
Frame Material	:	Aluminium
Light	:	RGD Light Tube / Side LED Light
Max Speed	:	14KM/H
Charging Time	:	2-3H
Max Riding Distance	:	3-5KM
Max Loading Weight	:	50KG
Wheel	:	6.5 Inches+5.5 Inches
Brake	:	Electronic Brake+Foot Brake
Start Way	:	Non-Zero Start



DRIFT-SCOOTER



DRT-801



SPECIFICATIONS

Product Size	:	108-98x53x65CM
Charging Tme	:	3-5H
Range	:	4-6KM
Voltage	:	36V 3.0AH
Motor	:	350W Brushless
Frame Material	:	Iron+Plastic
Rear Wheel	:	PU With Light
Spec	:	3 Speeds Power Display / Helmet/ Knee Pad Bluetooth Horn Bottom Light
Max Loading Weight	:	50KG
Suitable For Age	:	8+
Start Way	:	Non-Zero Start
Light	:	One Head Light/ Flash Light



AVAILABLE IN DIFFERENT TEXTURE



DRT-802



SPECIFICATIONS

Product Size	:	108-93x53x65CM
Charging Time	:	3-5 Hours
Range	:	6-8KM
Voltage	:	36V 3.64H(Label 4.0/4.4/4.86AH)
Motor	:	350W Brushless Frame Material Iron+Plastic
Rear Wheel	:	PU With Light
Spec	:	3 Speeds / Power Display/ Helmet/ Knee ped Bluetooth/ Horn/ Bottom Light
Max Loading Weight	:	60KG
Suitable For Age	:	10+



**AVAILABLE IN
DIFFERENT TEXTURE**



DRT-803



SPECIFICATIONS

Product Size	:	110-95x57x65CM
Charging Time	:	3-5H
Range	:	6-8KM
Voltage	:	36V 3.6AH(Label 4.0/4.4/4.8AH)
Motor	:	350W Brushless
Frame Material	:	Iron+Plastic
Spec	:	3 Speeds / Power Display / Helmet/ Knee Pad Bluetooth / Horn/ Bottom Light
Max Loading Weight	:	80KG
Suitable For Age	:	10+



AVAILABLE IN DIFFERENT TEXTURE



DRT-804



SPECIFICATIONS

Product Size	:	110-95x57x65CM
Charging Time	:	3-5H
Range	:	6-8KM
Voltage	:	36V 3.6AH(Label 4.0/4.4/4.8AH)
Motor	:	350W Brushless
Frame Material	:	Iron+Plastic
Rear Wheel	:	PU With Light
Spec	:	3 Speeds / Power Display / Helmet / Knee Pad Bluetooth/Horn/ Bottom Light
Max Loading Weigh	:	80KG
Suitable For Age	:	10+



AVAILABLE IN DIFFERENT TEXTURE



DRT-805



SPECIFICATIONS

- Product Size : 110-95x57x65CM
- Charging Time : 3-5H
- Range : 6-8KM
- Voltage : 36V 3.6AH(Label 4.0/4.4/4.8AH)
- Motor : 350W Brushless
- Frame Material : Iron+Plastic
- Rear Wheel : PU With Light
- Spec : 3 Speeds / Power Display / Helmet/ Knee Pad Bluetooth / Horn/ Bottom Light
- Max Loading Weight : 80KG
- Suitable For Age : 10+



AVAILABLE IN DIFFERENT TEXTURE



DRT-806



SPECIFICATIONS

Product Size	: 110-95x57x65CM
Charging Time	: 3-5H
Range	: 6-8KM
Voltage	: 36V 3.6AH(Label 4.0/4.4/4.8AH)
Motor	: 350W Brushless
Frame Material	: Iron+Plastic
Rear Wheel	: PU With Light
Spec	: 3 Speeds / Power Display / Helmet/ Knee Pad Bluetooth / Horn/ Bottom Light
Max Loading Weight	: 80KG
Suitable For Age	: 10+



AVAILABLE IN DIFFERENT TEXTURE



DRT-807



SPECIFICATIONS

- Product Size : 130-127x63x65CM
- Charging Time : 3-5H
- Range : 6-8KM
- Voltage : 36V 3.6AH(Label 4.0/4.4/4.8AH)
- Motor : 350W Brushless
- Frame Material : Iron+Plastic
- Rear Wheel : PU With Light
- Spec : 3 Speeds / Power Display / Helmet Knee Pad/ Bluetooth / Horn
- Max Loading Weight : 100KG
- Suitable For Age : 10+



AVAILABLE IN DIFFERENT TEXTURE

DRIFT-SCOOTER





HongShang China Co. Limited

Unit H, 1/F, 16-18 Mau Lam Street

Mau Lam Commercial Building

Jordan, Kowloon, Hongkong

☎ +852-8191-2575 | 📞 +86-159-0037-7313

✉ info@hongshang.hk | 🌐 www.hongshang.hk

📘 <https://www.facebook.com/HongShang-319182995325919>

🌐 <https://www.linkedin.com/company/7600478/>

📺 <https://youtu.be/ac8oH9UqdrA>

